



WOODWORKING

**Range of abrasive products
specifically for woodworking**

VSM Series	Backing Material	Backing Flex	Special Feature	Grit Size																
				P16	P20	P24	P30	P36	P40	P50	P60	P80	P100	P120	P150	P180	P220			
VSM ALUMINUM OXIDE																				
KP532E	Paper	"E" Weight	ST													■	■	■	■	
KP520	Paper	"F" Weight	AS							□	□	□								
	Paper	"E" Weight	AS										■	■	■	■	■	■	■	
KP510E	Paper	"E" Weight										□	■	■	■	■	■	■	■	
KP508E	Paper	"E" Weight				□		■	■	□	■	■	■	■	■	■	■	■	■	
KP709	Paper	"F" Weight								□			■	■	■	■	■	□	□	
KK711E	Cotton	Extremely Flexible											■	□	□	□	□	■	■	
KK532F	Cotton	Very Flexible	ST											■	■	■	■	■	■	
KK511F	Cotton	Very Flexible												■	■	■	■	□	■	■
KK504F	Cotton	Very Flexible												□	■	□	■	■	□	
KK112F	Cotton	Very Flexible								■				■	■	■	■	■	■	■
KK114F	Cotton	Very Flexible								■	■	■	■	■	■	■	■	■	■	■
KK524J	Cotton	Flexible	AS												■	■	■	■		
KK511J	Cotton	Flexible												■	■	■	■	■	■	■
KK505J	Cotton	Flexible													■	■	■	■	■	■
KK711T	Cotton	Moderate										■	■	■	■	■	■	■	■	■
KK732X	Polyester	Sturdy	ST			□		□	□	□										
KK711X	Polyester	Sturdy	◆		□	■	□	■	■	■	■	■	■							
	Cotton	Sturdy														■	■	■	■	■
KK524X	Cotton	Sturdy	AS												■	■	■	□		
KK504X	Cotton	Sturdy				□		■	■	■	■	■	■	■	■	■	■	■		
KK711Y	Polyester	Very Sturdy	◆							■	■	■	■	■	■	■	■	■	■	■
	Cotton	Very Sturdy	◆																	■
KK524Y	Polyester	Very Sturdy	AS												■	■	■	■	■	■

VSM SILICON CARBIDE

CP918A	Paper	"A" Weight	◆																	■
CP918C	Paper	"C" Weight	◆													□	■	□	■	■
CP501	Paper	"E" Weight										■			■	■	■	■	■	■
CK721J	Cotton	Flexible														■	■		■	■
CK721X	Polyester	Sturdy	◆								■	■	■	■	■	■	■	■	■	■
	Cotton	Sturdy	◆																	■
CK722Y	Polyester	Very Sturdy	AS, ◆								■	□	□	□	■	■	■	■	□	

VSM Series	Backing Material	Backing Flex	Special Feature	Grit Size												Product Form						
				20	24	36	40	50	60	80	100	120	150	180	240	320	400	Narrow Belt	Wide Belt	Discs	Rolls	Sheets
VSM ZIRCONIA ALUMINA																						
ZK713T	Cotton	Moderate				■	□	■	■	■		■						●		●	●	
ZK713X	Polyester	Sturdy	◆		■	■	■	■	■	■	■	■	□					●	●	●		
KK716	Polyester	Very Sturdy	◆		■	■	■	■	■									●	●			
KK717	Polyester	Extremely Sturdy	◆	□	■	■												●	●	●		
VSM CERAMICS																						
XP780	Paper	"F" Weight								■	■	■	■				○	○	○			
XK760X	Polyester	Sturdy	◆		■	■	■	■	■	■	■	■						●	●	●		
XK733X**	Polyester	Sturdy	ST, ◆			■				■	□							●	●	●		

**VSM STEARATE Plus

Grit Size												Product Form				
P240	P280	P320	P360	P400	P500	P600	P800	P1000	P1200	P1500	Narrow Belt	Wide Belt	Discs	Rolls	Sheets	
		□									○	○	○	○		
											○	○	○	○		
	□	□	□	□	□						○	○	○	○		
											○	○	○	○		
	■	□	■		□						○	○	○	○		
	□		□								⊙	⊙	⊙			
	□		□		□	□					○			○		
	■		■		■		■				○		○	○	○	
	■	□	■	□	■	□	■	■			○			○	○	
	■		■		■						○		○	○	○	
	■	■	■	□	■								○	○	○	
	■	■	■	□	■						○		○	○	○	
	■	■	■	□	■						○		○	○	○	
	■	■	■	□	■						○		○	○	○	
	■	□	■		■	■					⊙		⊙	⊙		
											●	●	●			
											●	●	●	●		
	■	■	■		■						●	●	●	●		
											⊙	⊙	⊙	⊙		
											●	●	●			
	■	■	■		■	■					●	●	●			
											●	●	●			
											●	●	●			
	■	□	■	□	■	■	■	■	■	■			○	○	○	
			■	■	■		■	□	■	■			○	○	○	
	■	□	■		■							○	○	○	○	
	□	□										○	○	○	○	
												○	○	○	○	
	■		■		■							○	○	○	○	

SYMBOL KEY	
TS	TOP SIZE
ST	STEARATE
AS	ANTISTATIC
◆	Suitable for Wet Applications
■	Stocked Product
□	Available, Not Stocked
○	For low to medium contact pressure
⊙	For medium contact pressure
●	For medium to high contact pressure

Availability is subject to change.

What' the difference?

Top size is used to reduce friction and heat.

Stearate is used to help prevent loading.



NEED MORE ASSISTANCE?

Contact your local Territory Manager using our interactive map, online at us.vsmabrasives.com/rep.

WANT A QUICKER SEARCH?

Visit us.vsmabrasives.com/products to filter available products, based on your needs.

A worldwide leader in abrasives.



Europe

Germany (Headquarters)

VSM · Vereinigte Schmirgelund Maschinen-Fabriken AG
Siegmundstraße 17
30165 Hannover
T +49 511 3526 479

France

VSM Impavide S.A.S.
52 Avenue Marcel Paul
93297 Tremblay en France
T +33 1 4151 0300

Great Britain

VSM Abrasives Ltd.
Unit 5, Joplin Court Sovereign
Business Park, Crownhill
Milton Keynes, MK8 0JP
T +44 19 0831 0207

Hungary

**VSM-VITEX Magyarország
Kereskedelmi Kft.**
Nagytétényi út 72
1222 Budapest
T +36 1 424 06 87

Poland

PFERD-VSM Sp. z o.o.
Ul. Polna 1A
62-025 Kostrzyn Wielkopolski
T +48 61 8970 480

Russia

**VSM AG · Russian
Representative Office**
141006, Moscow region
c. Mytishchi Volkovskoe
roadway vl. 5a, str. 1, of. 208
T +7 499 346 35 27

Spain

**Vitex Abrasivos, S.A. Unip.
VSM · España**
Ctra. de Molins de Rei,
Nº 79A - Nave 8
08191 RUBÍ (Barcelona)
T +34 93 697 3411

Sweden

PFERD-VSM AB
Radiovägen 3B
18155 Lidingö
T +46 8 5647 2300

Switzerland

PFERD-VITEX (Schweiz) AG
Zürichstr. 38 B
8306 Brüttsellen
T +41 44 805 2828

Turkey

**STARCKE VSM VITEX Zimpara
Teknolojisi Sanayi ve Dis
Ticaret Ltd. Sti.**
Yan Sanayi Sitesi
Nubuk Cad. No: 8, Kat 1 – 4
34953 Istanbul/Tuzla
T +90 216 591 07 01

Americas

Canada

VSM Abrasives Canada Inc.
2425 Wyecroft Road Unit #1
Oakville, Ontario
L6L 6R5
T +1 905 827 0005

Latin America

VSM Latinoamérica S.A.S.
Carrera 9 No. 115-06
Edificio Tierra Firme Piso 17
Bogotá, Colombia
T +57 1 639 8489
M +57 316 8311705

USA

VSM Abrasives Corp.
1012 East Wabash St.
O'Fallon
Mo. 63366
T +1 636 272 7432

Asia

China

**VSM AG · Shanghai
Representative Office**
Rm. 5I, Zhao Feng Univ. Bldg.
No. 1800, Zhong Shan Xi Rd.
Shanghai 200235
T +86 21 6270 2642

Thailand

**VSM AG · Thailand
Representative Office**
444 Olympia Thai Tower
13th Floor Ratchadaphisek
Road, Samsennok
Huay Kwang, Bangkok 10310
T +66 2 513 7441



Visit our website at
www.vsmabrasives.com