



XK880Y ▲ TOP SIZE




VSM CERAMICS Plus


Grain type	Ceramic
Bonding	Full-resin bonded
Color	Red-brown
Backing	Y-Polyester
Flexibility	Very sturdy
Production width	58 in



Materials



Features



Microcrystalline ceramic-grain abrasive with optimized self-sharpening effect for excellent stock removal rates when grinding slabs, coils and sheets in wide belt and long belt grinding applications. Ideal for medium pressure beveling. With a grit size of 20 to 120, it is ideal for removing scale from workpieces before finishing with a VSM surface conditioning material (e.g. KV707X).


Grit range: ¹⁾



Benefits

- > Optimized self-sharpening effect results in an extremely high stock removal rate thanks to constant recreation of sharp grain points
- > Cost saving when grinding high-alloyed steels thanks to highest possible stock removal rate
- > Extremely long service life
- > High wear resistance
- > Cool grinding and extension of service lives with VSM TOP SIZE additional grinding-active layer

Wear pattern of the grain



Due to their optimized and thus finer microcrystalline structure, VSM CERAMICS Plus series feature an improved self-sharpening effect, which produces much more sharper edges

VSM Abrasives Corp.

1012 East Wabash Street · O'Fallon, MO 63366 · USA
 T +1 800 737 0176 · F +1 636 272 6394
 us.info@vsmabrasives.com · www.us.vsmabrasives.com

¹⁾ Further grit sizes upon request. Subject to technical changes.

