


XK885Y TOP SIZE



VSM CERAMICS Plus

Grain type	Ceramic
Bonding	Full-resin bonded
Color	Red-brown
Backing	Y-Polyester
Flexibility	Very sturdy
Production width	58 in

Materials



Features



Developed for applications with medium to high contact pressure, such as cylindrical grinding of piston rods, cylinders and rollers. Thanks to the optimized self-sharpening effect of the microcrystalline ceramic grain, it is also very well suited for reclamation grinding of slabs and the removal of scale layers in flat grinding.


Grit range:¹⁾



Benefits

- > Optimized self-sharpening effect results in an extremely high stock removal rate thanks to constant recreation of sharp grain points
- > Cost saving when grinding high-alloyed steels thanks to highest possible stock removal rate
- > Extremely long service life
- > High wear resistance
- > Cool grinding and extension of service lives with VSM TOP SIZE additional grinding-active layer

Wear pattern of the grain



Due to their optimized and thus finer microcrystalline structure, VSM CERAMICS Plus series feature an improved self-sharpening effect, which produces much more sharper edges

VSM Abrasives Corp.

1012 East Wabash Street · O'Fallon, MO 63366 · USA
 T +1 800 737 0176 · F +1 636 272 6394
 us.info@vsmabrasives.com · www.us.vsmabrasives.com

¹⁾ Further grit sizes upon request. Subject to technical changes.

