

# **XK760Y**



### **VSM CERAMICS**



Grain type	Ceramic / Aluminium oxide	Materia	Materials		
Bonding	Full-resin bonded		A A		
Colour	Red-violet	Unalloyed Steel	Stainless Steel	Wood	
Backing	Y-Polyester	Feature	Features		
Flexibility	Very sturdy		Λ	$\wedge$	
Production	1,480 mm			$\cup$	
width		Medium pressure	Medium coated	Also for wet grinding	

Ceramic grain abrasive with self-sharpening effect impresses when machining extremely hard surfaces due to its aggressive cut and an extremely long service life.


#### Grit range:1)



#### **Benefits**

- Self-sharpening effect results in an extremely high stock removal rate thanks to constant recreation of sharp grain points
- > High wear resistance
- > Highly resilient
- > Oil and water resistant

## Wear pattern of the grain



The microcrystalline structure of the **VSM CERAMICS** series enables a much more subtle breaking down of the grain and constantly produces new sharp edges.

#### VSM · Vereinigte Schmirgel- und Maschinen-Fabriken AG

Siegmundstraße 17 · 30165 Hanover · Germany T +49 511 3526 479 · F +49 511 3521 315 sales@vsmabrasives.com · www.vsmabrasives.com



