


# LK719X




## VSM COMPACTGRAIN

<b>Grain type</b>	Aluminum oxide granulate
<b>Bonding</b>	Full-resin bonded
<b>Color</b>	Red-brown
<b>Backing</b>	X-Polyester
<b>Flexibility</b>	Sturdy
<b>Production width</b>	58 in



### Materials



### Features



Compactgrain, long-term universal abrasive for higher contact pressures with continuous self-sharpening effect for cylindrical and flat grinding applications reduces the grinding costs due to fewer tool changes. Offers characteristically consistent, very high stock removal with uniform surface roughness over its entire, very long service life.


### Grit range: <sup>1)</sup>



## Benefits

- > Long-term abrasive with continual self-sharpening effect achieves extremely long service life
- > Reduction of grinding costs through lower tool consumption and fewer tool changes
- > For uniform workpiece surfaces and surface roughness with constant stock removal rate
- > Grinding-inducing additives in the second size coating ensure higher stock removal rate

## Wear pattern of the grain



VSM COMPACTGRAIN series are completely made of granules which consist of numerous abrasive grains. The used grains are torn out by the cutting forces involved whereby unused grain tips are being exposed.

### VSM Abrasives Corp.

1012 East Wabash Street · O'Fallon, MO 63366 · USA  
 T +1 800 737 0176 · F +1 636 272 6394  
 us.info@vsmabrasives.com · [www.us.vsmabrasives.com](http://www.us.vsmabrasives.com)



<sup>1)</sup> P = Categorized according to the FEPA standard. Further grit sizes upon request. Subject to technical changes.